

PM 填写
EE Engineer 填写
QRE 测试数据，直接引用 sheet1
Power Engineer 填写

Table 4: Information, order and format of the product information sheet

INFORMATION		Value and precision			Unit	Fill -in sample			Unit	Notes		
Date of first placing on the market from		6/30/2019			date	GG MM AAAA			date	Provided by brand owner		
Date of end of placement on the market		12/31/2022			date	GG MM AAAA			date	Provided by brand owner		
1	Supplier's name or trade mark	MSI				TEXT						
2	Supplier's model identifier	Optix MAG321CURV				TEXT						
3	Energy efficiency class for standard Dynamic Range (SDR)	G				[A/B/C/D/E/F/G]				If the product database automatically generates the definitive content of this cell, the supplier shall not enter this data.		
4	On mode power demand for Standard Dynamic Range (SDR)	40,0			W	X,X			W	Rounded to the first decimal place for power values below 100 W, and rounded to the first integer for power values from 100 W.		
5	Energy efficiency class (HDR)	G				[A/B/C/D/E/F/G] or n.a.				If the product database automatically generates the definitive content of this cell, the supplier shall not enter this data. Value set to "n.a. (not applicable)" if HDR not implemented.		
6	On mode power demand in High Dynamic Range (HDR) mode	72,0			W	X,X			W	Rounded to the first decimal place for power values below 100 W, and rounded to the first integer for power values from 100 W (value set to 0 (zero) if "not applicable").		
7	Off mode, power demand	0,3			W	X,X			W			
8	Standby mode power demand	0,5			W	X,X			W			
9	Networked standby mode power demand	n/a			W	X,X			W			
10	Electronic display category	Monitor				[television/ monitor/ signage / other]				Select one.		
11	Size ratio	X	16	:	9	Y	integer	X	:	Y	integer	E.g. 16:9, 21:9, etc.
12	Screen resolution (pixels)	X	3840	x	2160	Y	pixels	X	x	Y	pixels	Horizontal and vertical pixels
13	Screen diagonal	80			cm	X,X			cm	In cm according to the International System of Units (SI), rounded to the nearest decimal place.		
14	Screen diagonal	32			inches	X			inches	Optional, in inches rounded to the nearest integer place.		
15	Visible screen area	2735,1			cm ²	X,X			cm ²	Rounded to the one decimal place		
16	Panel technology used	LED LCD				TEXT				E.g. LCD / LED LCD / QLED LCD / OLED / MicroLED / QDLED / SED / FED / EPD, etc		
17	Automatic Brightness Control (ABC) available	NO				[YES/NO]				Must be activated as default (if YES)		
18	Voice recognition sensor available	NO				[YES/NO]						
19	Room presence sensor available	NO				[YES/NO]				Must be activated as default (if YES).		
20	Image refresh frequency rate	60			Hz	X			Hz			
21	Minimum guaranteed availability of software and firmware updates (until):	12/30/2024			date	GG MM AAAA			date	As from Annex II E, point 1 of Commission Regulation (EU) 2019/XXX3 [OP – please insert the number of the Regulation C(2019)2122].		
22	Minimum guaranteed availability of spare parts (until):	12/30/2024			date	GG MM AAAA			date	As from Annex II D, point 5 of Regulation (EU) 2019/XXX [OP – please insert the number of the Regulation C(2019)2122].		
23	Minimum guaranteed product support (until):	12/30/2024			date	GG MM AAAA			date			
24	Power supply type:	External				Internal / External / Standardised external				Select one.		
i	External standardised power supply (included in the product box)	Standard name	Asian Power Devices Inc. DA-65C19				TEXT					
		Input voltage	AC 100 -240			V	X			V		
		Output voltage	19			V	X			V		
ii	External standardised suitable power supply (if not included in the product box)	Standard name	TEXT				TEXT				Mandatory only if EPS not included in the box, non-mandatory otherwise.	
		Required output voltage	X,X			V	X,X			V	Mandatory only if EPS not included in the box, non-mandatory otherwise	
		Required delivered current	X,X			A	X,X			A	Mandatory only if EPS not included in the box, non-mandatory otherwise	
		Required current frequency	X			Hz	X			Hz	Mandatory only if EPS not included in the box, non-mandatory otherwise	