REFERENCE

REF. 40698270 EAN. 8421152112267

PRODUCT INFORMATION SHEET (UE) 2019/2016

Supplier name or trademark: TEKA Supplier's address:
Model identifier:

Type of refrigerating appliance

Low-noise appliance:

Design type:

Wine storage appliance:
Other refrigerating appliance:

Overall dimensions (mm)

Height: 2005 Width: 595 Depth: 600

Total volume (dm3 or l): Energy efficiency class:

Airborne acoustical noise emissions (dB(A) re 1 pW):

Airborne acoustical noise emission class: Annual energy consumption (kWh/a):

Climate class: SN/T

Minimum ambient temperature (°C), for which the

refrigerating appliance is suitable:

Maximum ambient temperature (°C), for which the

refrigerating appliance is suitable:

Winter setting:

Compartment 1:

Compartment 1 - Compartment Volume (I):

Compartment 1 - Recommended temperature setting for

optimised food storage (°C):

Compartment 1 - Freezing capacity (kg/24h):

Compartment 1 - Defrosting type:

Compartment 1 - Target temperature (°C):

Compartment 1 - Thermodynamic parameter (rc):

Compartment 1 - Nc:

Compartment 1 - Mc:

Compartment 1 - Defrost factor (Ac):

Compartment 1 - Built-in factor (Bc):

Compartment 2:

Compartment 2 - Compartment Volume (I):

Compartment 2 - Recommended temperature setting for

optimised food storage (°C):

Compartment 2 - Freezing capacity (kg/24h):

```
Compartment 2 - Defrosting type:
Compartment 2 - Target temperature (°C):
Compartment 2 - Thermodynamic parameter (rc):
Compartment 2 - Nc:
Compartment 2 - Mc:
Compartment 2 - Defrost factor (Ac):
Compartment 2 - Built-in factor (Bc):
Compartment 3:
Compartment 3 - Compartment Volume (I):
Compartment 3 - Recommended temperature setting for
optimised food storage (°C):
Compartment 3 - Freezing capacity (kg/24h):
Compartment 3 - Defrosting type:
Compartment 3 - Target temperature (°C):
Compartment 3 - Thermodynamic parameter (rc):
Compartment 3 - Nc:
Compartment 3 - Mc:
Compartment 3 - Defrost factor (Ac):
Compartment 3 - Built-in factor (Bc):
Compartment 4:
Compartment 4 - Compartment Volume (I):
Compartment 4 - Recommended temperature setting for
optimised food storage (°C):
Compartment 4 - Freezing capacity (kg/24h):
Compartment 4 - Defrosting type:
Compartment 4 - Target temperature (°C):
Compartment 4 - Thermodynamic parameter (rc):
Compartment 4 - Nc:
Compartment 4 - Mc:
Compartment 4 - Defrost factor (Ac):
Compartment 4 - Built-in factor (Bc):
Compartment 5 - Type:
Compartment 5 - Compartment Volume (I):
Compartment 5 - Recommended temperature setting for
optimised food storage (°C):
Compartment 5 - Freezing capacity (kg/24h):
Compartment 5 - Defrosting type:
Compartment 5 - Target temperature (°C):
Compartment 5 - Thermodynamic parameter (rc):
Compartment 5 - Nc:
Compartment 5 - Mc:
Compartment 5 - Defrost factor (Ac):
Compartment 5 - Built-in factor (Bc):
```

Light source parameters

Light source - Type of light source: Light source - Energy efficiency class: Minimum duration of the guarantee offered by the manufacturer (b):

Additional information:

Weblink to the manufacturer's website, where the information in point 4(a) Annex of Commission Regulation (EU) 2019/2019 (1) (b)

- (a) as determined in accordance with Commission Delegated Regulation (EU) 2019/2015 (2).
- (b) changes to these items shall not be considered relevant for the purposes of point 4 of Article 4 of Regulation (EU) 2017/1369.
- (c) if the product database automatically generates the definitive content of this cell the supplier shall not enter these data.
- (1) Commission Regulation (EU) 2019/2019 of 1 October 2019 laying down ecodesign requirements for refrigerating appliances pursuant to Directive 2009/125/EC of the European Parliament and of the Council and repealing Commission Regulation (EC) No 643/2009 (see page 187 of this Official Journal).(2)
- (2) Commission Delegated Regulation (EU) 2019/2015 of 11 March

2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy labelling of light sources and repealing Commission Delegated Regulation (EU) No 874/2012 (see page 68 of this Official Journal).