

S1A0

Expand your possibilities

CARD



100 MB/s
MAX. READ SPEED

I
UHS-I INTERFACE

SD | **SD**
SDHC / SDXC STANDARD

100% TESTED

LIFETIME WARRANTY



S1A0 CARD

The S1A0 UHS-I Card is dedicated for users who want to fully utilize the capabilities of their point-and-shoot or entry-level DSLR cameras. It can be used in both everyday and advanced applications.

STANDARD:




FAST UHS-I INTERFACE

The use of the fast UHS-I interface allows to achieve good performance – read speed up to 100 MB/s and minimal write speed 10 MB/s. This has a direct impact on the quality and reliability of performing functions.

SPEED OF OPERATIONS:

100 MB/s
MAX. BASELINE READ SPEED

10 MB/s
MAX. BASELINE WRITE SPEED



WIDE RANGE OF USE

With the UHS-I speed class GOODRAM card allows you to capture the perfect shot on any device equipped with a SD card slot. It doesn't matter if it is a camera, video recorder or laptop - GOODRAM is a memory that will allow you to keep up with the fast pace of everyday life.

PERFECT FOR:



STABLE OPERATION

UHS-I interface provides high performance as well as stable and reliable operation of your device. Now even the most professional operations can be performed without any problems and you will be able to discover the new horizons of photography.



CAPACITIES:



16 GB



32 GB




64 GB



128 GB



256 GB



LIFETIME WARRANTY & ENDURANCE

The features of the GOODRAM memory card: resistance to shocks, X-rays, magnetic radiation and water are achieved thanks to the highest quality, carefully selected components. GOODRAM memory card series have a lifetime warranty as proof of the diligence that the Polish manufacturer puts into their production.





S1A0 SD Card MEMORY CARD

- UHS-I interface
- Capacities up to 256GB
- Read performance up to 100 MB/s
- Highest quality components
- Lifetime warranty + technical support



PARAMETERS

CAPACITY	16GB, 32GB, 64GB, 128GB, 256GB
CARD STANDARD ¹	SDHC (≤32GB) SDXC (≥64GB)
PERFORMANCE ²	READ: up to 100 MB/s WRITE: from 10 MB/s
INTERFACE	UHS-I
INTERFACE SPEED	U1
DIMENSIONS	32 x 24 [mm]
DIMENSIONS OF PACKAGE	103 x 123 [mm]
TEMPERATURE	- OPERATIONAL: 0°C ~ 70°C - STORAGE: -25°C ~ 85°C

LOGISTICS DATA

PRODUCT	MOQ	CAPACITY	P/N	EAN
GOODRAM S1A0 SD CARD	25	16GB	S1A0-0160R12	5908267930205
		32GB	S1A0-0320R12	5908267930212
		64GB	S1A0-0640R12	5908267930229
		128GB	S1A0-1280R12	5908267930236
		256GB	S1A0-2560R12	5908267930243

¹ Storage capacity for GOODRAM memory cards is provided in decimal values, i.e. 1GB = 1 000 000 000 bytes. Actual storage space may be less.

² Based on internal tests. Actual results may vary depending on your host or system configuration and product condition.

• GOODRAM may make changes to specifications and product descriptions at any time, without notice.

• Product Sheet | GOODRAM S1A0 SD CARD | V.2.0 | © 2022 Wilk Elektronik S.A. - GOODRAM