

## DS-D5028UC 28" 4K MONITOR



### Features and Functions

- Human engineer design with black color and circular base.
- 28" WLED backlight with wide display equipment.
- Ultra HD 4K(3840 × 2160) display, provide huge display area, high resolution, show you the high definition image.
- sRGB Cover Wide gamut and 8-bit color.
- Support 3 inputs ports: Displayport\*1, HDMI\*1, VGA\*1
- Response Time: 5.5 ms



### Available Models

DS-D5028UC



Model	DS-D5028UC	
LCD Screen	Backlight	LED Backlight
	Dimension	28 inch
	Optimal working resolution	1920×1080@60Hz( Analog ),3840x2160@60Hz(HDMI2.0/DP)
	Brightness	300 cd/m <sup>2</sup>
	Contrast	1000: 1
	Response time	5.5 ms
	Color	1.07G colors (8-bit+FRC)
	Active Area	620.93 (H) mm x341.28(V)mm
	Viewing Angle	Horizontal 170°, vertical 160°
	HDMI input	1
	VGA input	1
	DP Input	1
	Audio input	1
General	Casing Material	Plastic
	Color of Casing	Black
	Wall-mounting Hole	100 × 100 mm
	Wall-mounting Screw	M4
	Speakers	2*3W
	Power Supply	AC 110-240V; 50/60Hz
	Power Consumption	≤45W(Typ), ≤70W(Max)
	Standby Power Consumption	≤ 0.5 W
	Working Temperature	0 to 40 °C (0 to 104 ° F)
	Working Humidity	10 to 85 %
	Storage Temperature	-20 to 60 °C (-68 to 140 ° F)
	Storage Humidity	5 to 85%
	Dimensions	659.7(W)X390.9(H)X49.3mm(D)
	Packing Dimensions	730(W)X527(H)X148(D)
	Gross Weight	7.2Kg
Net Weight	5.6kg	

**Note:** All specifications mentioned above are subject to the actual product.

## Physical Interfaces



NO.	Description
1	AC input
2	HDMI
3	DP
4	VGA
5	Audio IN
6	Earphone Out

## Dimensions (unit: mm)



