

## Built-in wine cooler

Electronic control panel

Capacity: 36 bottles

Adjustable temperature (5-16°C)

4 adjustable wooden shelves

Metallic handle

Reversible door

Energy class: A

Climate Class: SN

Noise level: 38 dBA

Total gross volume (litres): 130

Voltage: 220-240/50 Hz



0

A

COLOR Black

EXTERNAL DIMENSIONS

**♦** 865 mm **♦** 540 mm **3** 525 mm

PRODUCT FICHE ACCORDING TO COMMISSION DELEGATED REGULATION (EU) NO 65/2014

MODELS	POLAR NFE 900 X	POLAR NFE3 650 X	POLAR NFE3 620 X	TNF 450 INOX	TGF 390 NF	POLAR TGF3 270 NF	POLAR TS3 370	POLAR NFE2 400
U PRODUCT FICHE								
Category	7	7	7	1	8	8	1	7
Energy class (1)	A+	A+	A+	A++	A++	A+	A+	A+
Annual consumption (kWh/year) (2)	455	471	485	113	247	310	145	331
otal gross capacity (litres)	610	616	640	355	261	290	415	355
Refrigerator compartment	360	353	353	350			367	206
apacity (litres)		•	•	•				•
Chilling compartment capacity (litres)	25	15	15	-	-	-	-	25
reezer compartment capacity (litres)	155	176	190	-	260	255	-	90
reezer clasification (stars)	4	4	4	-	4	4	_	4
lo frost in refrigerator compartment	•	•	•		-	-	-	•
lo frost in chiller	•	•	•	-	-	-	-	•
lo frost in freezer compartment	•	•	•	-	•	•	-	
emperature rise time (autonomy) (3)	15	9	21	_	15	18	_	17
reezing capacity (Kg/24h)	13	13	13	_	16	16	-	- 6
Climate class	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
loise level	43	45	45	43	45	42	39	43
ype of installation	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestandin
OVERALL MEASUREMENTS								
Height (mm)	1825	1790	1790	1855	1855	1714	1714	2005
Vidth (mm)	920	910	910	595	595	595	595	595
Pepth (mm)	765	765	765	695	695	650	650	600
let weight (Kg)	124,8	115	115,5	74	81	87	72	69
Built in door measures				•				
Jpper door (mm)	_		_	_	_	_	_	-
Sottom door (mm)	_		_		_			
Ower supply (V/Hz)	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50
ower rate (W)	200	•	150	•	75	95	65	120
		150	•	65	•	•	- 05	•
Pefrost element power (W)	190	180	180		250	175		127
nergy consumptiom (KWh/24 hours)	1,246	1,29	1,328	0,31	0,68	0,849	0,397	0,951
EATURES								
Electronic control	LCD	LCD	LCD	•	•	•	•	LCD
ingerprint proof door	•	•	•	•	•	•	•	•
Cool Flow	-	-	-	-	-	-	-	-
Antibacterial treatment	•	•		•	•	•	•	•
ast freezing / Fast Cooling function	• / •	•/•	•/•	-/-	•/-	• / -	-/-	•/•
)-3°C Zone	•	•	•	-	-	•	•	•
uzzy logic function	•	•	•	-	_	-	-	•
On holidays function	•	•	•	_	_	_	_	
djustable thermostast	•	•	•	•	•	•	•	•
nner light	•	•	•	•	•	-	•	•
Adjustable shelves	•		•		-	-	•	٠
Adjustable feet (front/rear)	• / -	• / -	• / -	•/-	•/-	• / -	• / -	•/-
leversible doors	-	-	-	•	•	•	•	•
ONTROL INDICATORS	-	•	•	•	•	•	•	-
Operating light fridge/freezer	• / •	•/•	•/•	LED/-	-/LED	-/•	• / -	•/•
emperature display fridge/freezer	•/•	•/•	•/•	•/-	-/•	-/•	-/-	•
ast freezing indicator	•/•	•/•	•/•		•	•	-/-	•
custic/ visual alarm	•/•	•/•	•/•	•	•	•/•	-/-	•/•
	-,,			•	•	• • • • • • • • • • • • • • • • • • • •	-/-	-/-
QUIPMENT								
afety glass shelves	•	•	•	•	•	-	•	•
ce cubes trays	Tilt	Dispenser	Tilt	_	TWIST	•	_	•
Chromed botle rack	-	•	•	•	-	_	•	•
Dairy covered compartment	-	-	-		-	-	-	-
/egetable drawers	•	•	•	2	-	-	•	•
				•				

<sup>(1)</sup> Energy effiency class "X" on a scale from G (least effiency to A+++) (most effiency)
(2) Energy consumption "XYZ" kWh per year, based on standard test results for 24 hours. Actual energy consumption will depend on how the appliance is used and where it is located.
(3) Temperature rise time
(4) "For wine storage appliances" This appliance is intended to be used exclusively for the storage of wine. This point shall not apply to household refrigerating appliances that are not specifically designed for wine storage but may nevertheless be used for this purpose nor to household refrigerating appliances that have a wine storage compartment combined with any other compartment type.

PRODUCT FICHE ACCORDING TO COMMISSION DELEGATED REGULATION (EU) NO 65/2014

MODELS	POLAR NFE2 320	POLAR NFL 430 INOX	POLAR NFL 340	POLAR NFL 320	POLAR NFB 320	TS1 130	TS 130	TG1 80	TG 80
EU PRODUCT FICHE									
Category	7	7	7	7	7	1	1	8	8
Energy class (1)	A+	A++	A+	A+	A+	A+	A+	A+	A+
Annual consumption (kWh/year) (2)	318	237	286	286	318	117	120	176	183
Total gross capacity (litres)	320	360	323	323	320	136	132	94	88
Refrigerator compartment	····				320			J-	
capacity (litres)	172	250	219	219	172	133	130	-	-
Chilling compartment capacity (litres)	25	-	-	-	25	-		-	
Freezer compartment capacity (litres)	90	76	76	76	90	-	-	84	80
Freezer clasification (stars)	4	4	4	4	4	-	-	4	4
No frost in refrigerator compartment	•	•	•		•	-	_	_	_
No frost in chiller	•	-	-	-	•	-	-	-	-
No frost in freezer compartment	•	•	•	•	•	-	_	-	_
Temperature rise time (autonomy) (3)	17	15	15	15	19	-	=	20	12
Freezing capacity (Kg/24h)	5	4	4	4	4	-	_	6	4,5
Climate class	SN-T	N-T	N-T	N-T	SN-T	N/ST	N-ST	N/ST	N-ST
Noise level	43	40	40	40	43	39	43	39	43
Type of installation		Freestanding						Freestanding	
19PO OF INSTANCEOUS	rreestariumg	ricestariumig	. reestariumg	ricestariumg	rreestanding	reestariumg	r reestarium g	rreestariumg	i i cestaliulli
OVERALL MEASUREMENTS									
Height (mm)	1860	2010	1880	1880	1853	845	845	845	845
Width (mm)	595	595	595	595	595	553	545	553	545
Depth (mm)	600	635	635	635	600	574	570	574	570
Net weight (Kg)	62	76	68	68	64	26,9	34	29	37
Built in door measures			•			•		••••••	
Upper door (mm)	-	-	-	-	-	-	_	_	_
Bottom door (mm)	_	-	-	-	-	-	-	-	-
		•	•	•	•	•			
POWER SUPPLY									
Power supply (V/Hz)	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50
Power rate (W)	120	150	170	170	120	70	80	70	90
Defrost element power (W)	127	160	160	160	127	-	-	-	-
Energy consumptiom (KWh/24 hours)	0,913	0,65	0,78	0,78	0,913	0,32	0,331	0,48	0,502
FEATURES									
Electronic control	LCD	•	•	•	•				_
Fingerprint proof door				-	•				
		•			•				
Cool Flow	-		•	•	-	-	_	-	
Antibacterial treatment	•	gasket ,	gasket ,	gasket ,	•			-	-
Fast freezing / Fast Cooling function	•/•	-/•	-/•	-/•	-/-	-/-	-/-	-/-	-/-
0-3°C Zone	•	-	-	-	•	-	-	-	-
Fuzzy logic function	•	=	-	=	=	=	=	=	=
On holidays function	-	-	-	-	-	-	-	-	-
Adjustable thermostast	•	•	•	•	•	manual		manual	•
Innerlight	•	LED	LED	LED	•	•	•	-	-
Adjustable shelves	•	•	•	•	•	•	-	-	-
Adjustable feet (front/rear)	• / -				• / -	•/front	• / -	•/front	• / -
Reversible doors	•	•	•	•	•	•	•	•	•
		•							·· •
CONTROL INDICATORS									
Operating light fridge/freezer	• / •	•/-	•/-	•/-	-	-/-	=	-/-	-
Temperature display fridge/freezer	•	•/-	•/-	•/-	=	-/-	=	-/-	=
Fast freezing indicator	•	-	-	-	-	-	=	-	-
Acustic/ visual alarm	• / •	-	-	-	-/-	-	-/-	-	-/-
EQUIPMENT									
	•	•	•	•	•	•	•		
Safety glass shelves	•							-	
Chromod bottle rook		1	1	1	•	-	-		-
Chromed botle rack	•	-	-	-	•	-	-	-	-
Dairy covered compartment	-	-	-	-	-	-	-	-	-
Vegetable drawers	•	2	1	1	•	1	•	-	-

PRODUCT FICHE ACCORDING TO COMMISSION DELEGATED REGULATION (EU) NO 65/2014

MODELS	TS1 138	TS 138	CI2 350 NF	CI2 330 NF	CI 342	TKI3 325 DD	TKI3 325	TKI2 300
EU PRODUCT FICHE								
Category	7	7	7	7	7	7	7	1
Energy class (1)	A++	A+	A+	A+	A+	A++	A++	A+
Annual consumption (kWh/year) (2)	131	165	274	274	278	233	229	146
Total gross capacity (litres)	102	98	270	270	283	270	283	315
Refrigerator compartment	84	86	190	190	170	170	170	310
capacity (litres)								
Chilling compartment capacity (litres)	-	-	-		19	20	19	-
Freezer compartment capacity (litres)	14	10	48	48	55	48	55	-
Freezer clasification (stars)	4	4	4	4	4	4	4	-
No frost in refrigerator compartment	-	-	=	-	-	-	-	-
No frost in chiller	-	=	=	_	_	-	-	-
No frost in freezer compartment		-		•	_			-
Temperature rise time (autonomy) (3)	15	10	13	13	20	13	20	-
reezing capacity (Kg/24h)	2	1	2,3	2,3	4	2,3	4	-
Climate class	N/ST	ST	SN-T	SN-T	SN-ST	SN-T	SN-T	SN-T
Noise level	39	43	38	38	38	38	38	34
Type of installation	Freestanding	Freestanding	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in
OVERALL MEASUREMENTS								
Height (mm)	845	847	1770	1770	1770	1770	1770	1771
Width (mm)	501	494	540	540	540	540	540	543
Depth (mm)	540	494	535	535	535	535	535	545
Net weight (Kg)	25,4	25	53	53	55	60	56,2	55
Built in door measures		-		-	-	-		
Upper door (mm)	-	-	1072-1145	1072-1145	1072-1145	1072-1145	1072-1145	-
Bottom door (mm)	=	-	685,5-728	685,5-728	685,5-729	685,5-728	685,5-728	1800
POWER SUPPLY		•		•	•			
Power supply (V/Hz)	220-240/50	220-240/50	230/50	230/50	230/50	230/50	230/50	230/50
Power rate (W)	70	90	115	115	75	115	100	75
	70	90	85	•	-	85	100	75
Defrost element power (W)	0.76			85		•	- 0.627	- 0.4
Energy consumptiom (KWh/24 hours)	0,36	0,47	0,759	0,759	0,756	0,759	0,627	0,4
FEATURES								
Electronic control	-	-	•	_	•	•	-	•
Fingerprint proof door	-	-	-	_	_	_	-	-
Cool Flow	-	-	-	-	-	-	-	-
Antibacterial treatment	-	-	•	-	•	•	•	•
Fast freezing / Fast Cooling function	-/-	-/-	-/•	-/-	-/-	• / -	-/-	-/-
0-3°C Zone	-	-	•	•	•		•	-
Fuzzy logic function	-	-	-	-	-	•	-	-
On holidays function	-	-	-	_	_	-	-	-
Adjustable thermostast	manual	•	•	•	•	•	•	•
nnerlight	•	•	•	•	•	•	•	•
Adjustable shelves	•	-	•	•	•	•	٠	•
Adjustable feet (front/rear)	•/front	• / -	-/-	-/-	-/-	-/-	-/-	-/-
Reversible doors	•	•	•	•	•	•	•	•
CONTROL INDICATORS		•		•	•	•	•	
Operating light fridge/freezer	-/-	-	• / -	-	• / •	• / -	-	• / -
Femperature display fridge/freezer	-/-		• / -		•/•	•/-		•/-
Fast freezing indicator	- / -		-		•	•		-
-ast rreezing indicator  Acustic/ visual alarm	-	-/-	• / •	-/•	•/•	•/•	-/-	•/•
	-	-/-	*/*	-/*	-/-	-/-	-/-	-/-
EQUIPMENT								
Safety glass shelves	•	•	•	•	•		•	•
ce cubes trays	•	-	•	•	•	•	•	-
Chromed botle rack	-	-	•	•	•	•	•	•
Dairy covered compartment	-	-	-	-	-	٠	•	-

<sup>(1)</sup> Energy effiency class "X" on a scale from G (least effiency to A +++) (most effiency) (2) Energy consumption "XYZ" kWh per year, based on standard test results for 24 hours. Actual energy consumption will depend on how the appliance is used and where it is located.

<sup>(</sup>d) 'For wine storage appliances' This appliance is intended to be used exclusively for the storage of wine'. This point shall not apply to household refrigerating appliances that are not specifically designed for wine storage but may nevertheless be used for this purpose nor to household refrigerating appliances that have a wine storage compartment combined with any other compartment type.

<sup>(1)</sup> Energy effiency class "X" on a scale from G (least effiency to A+++) (most effiency)
(2) Energy consumption "XYZ" kWh per year, based on standard test results for 24 hours. Actual energy consumption will depend on how the appliance is used and where it is located.
(3) Temperature rise time

<sup>(4)</sup> For wine storage appliances This appliance is intended to be used exclusively for the storage of wine. This point shall not apply to household refrigerating appliances that are not specifically designed for wine storage but may nevertheless be used for this purpose nor to household refrigerating appliances that have a wine storage compartment combined with any other compartment type.

MODELS	TGI2 200 NF	TKI3 235	TKI3 215	TKI3 130	TGI2 110	TKI3 150	TGI2 120 D	TFI3 130 D	TKI3 145 D
EU PRODUCT FICHE									
Category	8	1	7	7	8	1	8	7	1
Energy class (1)	A+	A++	A++	A++	A+	A++	A+	A++	A++
Annual consumption (kWh/year) (2)	297	103	167	145	191	94	183	138	92
Total gross capacity (litres)	220	210	200	120	102	135	96	125	130
Refrigerator compartment	_	204	157	97		126	_	92	128
capacity (litres)									
Chilling compartment capacity (litres)	-	-	-	-	-	-	-	-	-
Freezer compartment capacity (litres)	196	-	20	13	85	-	87	15	-
Freezer clasification (stars)	4	-	4	4	4	-	4	4	-
No frost in refrigerator compartment  No frost in chiller	-	-	-	-		-		-	-
No frost in freezer compartment		-	-	-	-	-	-	-	-
Temperature rise time (autonomy) (3)	15	-	16	8	20	-	19	10	-
Freezing capacity (Kg/24h)	10	_	2	2	10	_	6	2	_
Climate class	SN-T	SN-T	SN-ST	N-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level	42	39	34	39	43	37	42	43	40
Type of installation	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in
OVERALL MEASUREMENTS									
Height (mm)	1771	1216	1216	866	866	866	820	820	820
Width (mm)	543	543	543	540	540	540	598	598	598
Depth (mm)	545	535	535	548	548	548	545	545	545
Net weight (Kg)	61	39	39	29	30	93	31	31	30
Built in door measures			•						•
Upper door (mm)	-	1220 min	1220 min	876 min	876 min	876 min	-	-	-
Bottom door (mm)	1800	_	_	_		_	813-863	813-863	813-863
POWER SUPPLY									
Power supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50	230/50	230/50	230/50
Power rate (W)	110	55	45	65	60	75	55	65	50
Defrost element power (W)	175	-	-	-	_		-	-	-
Energy consumptiom (KWh/24 hours)	0,813	0,282	0,465	0,397	0,547	0,258	0,501	0,392	0,252
FEATURES									
Electronic control	٠	-	-	-	-	-	-	-	-
Fingerprint proof door	-	-	-	-	-	-	-	-	-
Cool Flow	_	-	-	_	_	_	_	-	-
Antibacterial treatment	-	-	-	-	-	-	-	-	-
Fast freezing / Fast Cooling function	• / -	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-
0-3°C Zone	-	-	-	-	-	-	-	-	-
Fuzzy logic function	-	-	-	-	-	-	-	-	-
On holidays function	-	-	-	-	-	-	-	-	-
Adjustable thermostast	•	•	•	•	•	•	•		•
Inner light	-	•	•	•	-	•	-	•	٠
Adjustable shelves	-	•	•	•	-	•	-	•	•
Adjustable feet (front/rear)	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-
Reversible doors	•	•	٠	•	•	٠	٠	•	٠
CONTROL INDICATORS	•	•	•	•	•	•	•	•	•
Operating light fridge/freezer	-/•	-	-	-	-	-	-/•	-	-
Temperature display fridge/freezer	-/•	_	_	_		_	_	_	_
Fast freezing indicator		-	-	-	_	_		-	-
Acustic/ visual alarm	• / •	-/-	-/-	-/-	-/-	-/-	-/•	-/-	-/-
EQUIPMENT									
Safety glass shelves	-	•	•	•	-	•	-	•	•
Ice cubes trays	•	_	_					_	_
Chromed botle rack	_	_	_	_	_	_	_		_
Dairy covered compartment			_						
Vegetable drawers		•	•	•		•			
. ogcubic drawers						•	•	•	•

1	Energy	effiency	class '	"X" on a sc	ale from G	(least	effiency	to A ++-	+) (most effic	ency)

<sup>(2)</sup> Energy consumption will depend on how the appliance is used and where it is located.

(3) Temperature rise time

MODELS	RV 51 E	RV 26 E	RVI 35
EU PRODUCT FICHE			
Category	2	2	2
Energy class (1)	В	В	A
Annual consumption (kWh/year) (2)	197	190	147
Total gross capacity (litres)	165	85	130
Refrigerator compartment capacity (litres)	163	83	128
No frost in refrigerator compartment	-	-	-
Climate class	N	N	SN
Noise level (dBA)	42	42	38
Type of installation	Freestanding	Freestanding	Built in
OVERALL MEASUREMENTS			
Height (mm)	1280	780	865
Width (mm)	506	506	540
Depth (mm)	550	550	525
Net weight (Kg)	49	34	28,4
Power supply			
Power supply (V/Hz)	220-240	220-240	220-240
Power rate (W)	100	100	55
Energy daily consumption (KWh/24 hours)	0,54	0,52	0,493
FEATURES			
Electronic controls	•	٠	•
Number of bottles	51	26	35
Stainless steel door handle		•	•
Hidden evaporation		•	•
Inner light		•	•
Mobile shelves		•	•
Adjustable feet (front/rear)	•/•	• / •	• / -
Temperature control (red wine 13°C-16°C)	•	•	•
Temperature control (red wine 5°C-16°C)	-	-	
Temperature control (red wine 7°C-16°C)		•	
Optical alarm		•	•
Adjustable shelves	•	•	•
Number of shelves	5	2	4
Aluminium and glass door		•	•

<sup>260 (</sup>A) For mine storage appliances This appliance is intended to be used exclusively for the storage of wine. This point shall not apply to household refrigerating appliances that are not specifically designed for wine storage but may nevertheless be used for this purpose nor to household refrigerating appliances that have a wine storage compartment combined with any other compartment type.

<sup>(1)</sup> Energy effiency class "X" on a scale from G (least effiency to A +++) (most effiency)
(2) Energy consumption "XYZ" kWh per year, based on standard test results for 24 hours. Actual energy consumption will depend on how the appliance is used and where it is located.
(3) Temperature rise time
(4) "For wine storage appliances" This appliance is intended to be used exclusively for the storage of wine". This point shall not apply to household refrigerating appliances that are not specifically designed for wine storage but may nevertheless be used for this purpose nor to household refrigerating appliances that have a wine storage compartment combined with any other compartment type.