

DS-D5019QE-B 18.5" Monitor

Key Features


- LED backlit technology with HD 1366 x 768
- Wide view angle: 90°(H) / 65°(V)
- 3D comb filter
- 3D De-interlace
- 3D noise reduction
- Input: HDMI, VGA
- VESA stand bracket
- High reliable components for 7 x 24 working
- Green energy: Enter standby mode while no signal input



Model

DS-D5019QE-B

Interfaces



NO.	Description
1	Power Input
2	HDMI Digital Signal Input
3	VGA Analog Signal Input



DS-D5019QE-B 18.5" Monitor



Specification

Model	DS-D5019QE-B
Display	
Display Type	LED-Backlit TFT LCD
Screen Size	18.5"
Pixel Pitch(H×V)	0.300 mm × 0.300 mm
Max Resolution	1366 x 768
Brightness	200 cd/m ² (Typical)
Contrast	600 : 1
Response Time	5 ms
Color	16.7 M
Viewing Angle	Horizontal 90°, Vertical 65°
Input	
HDMI	HDMI x 1
VGA	VGA x 1
Mounting	
VESA	75 mm x 75 mm
General	
Power Supply	AC100 ~ 240 V, 50 /60 Hz
Consumption	< 25 W(on) < 0.5 W(Standby)
Operation Temperature	0°C ~ 40 °C
Operation Humidity	10%~85% (No Condensation)
Storage Temperature	-20 °C ~ 55 °C
Storage Humidity	5%~95% (No Condensation)
Dimension (W×H×D)	445.58 mm x 274.99 mm x 44.6mm
Weight	3.5 Kg(Gross weight) , 2.8 Kg(Net weight)
Included Accessories	VGA(D-Sub) cable x 1, power cord x 1, base bracket x 1, user manual x 1, warranty card x 1

DS-D5019QE-B 18.5" Monitor



Dimension (mm)

